
TITOFF
INDUSTRIEDESIGN GMBH


Assembly Instructions

L-021


1.




2.




3.




4.




5.




6.



7.



8.



Intended Use

The wall light is intended exclusively for illuminating interior spaces. It may only be mounted on a solid interior wall and installed in accordance with these instructions. Any other use (for example as an anchor point, for decoration, or for connecting other devices) is considered improper use and can create hazards to people and property.

This light may be used by children aged 8 and over, and by persons with reduced physical, sensory, or mental capabilities, or with a lack of experience and knowledge, provided they are supervised or have been instructed in the safe use of the light and understand the resulting hazards. Children must not play with the light. Cleaning and user maintenance must not be carried out by children without supervision.

Safety



- Do not operate a damaged light and do not repair it yourself. Repairs must only be carried out by qualified personnel (through the dealer).

- The product must not be exposed to strong mechanical stress, moisture, or heavy soiling.

- Modifications or alterations to the light are not permitted and will void the warranty.

- Use the light indoors only. Do not use it to illuminate outdoor areas or open/unprotected locations.



- Never cover the light.

- Unsuitable lamps can overload the light. Never use lamps with a higher wattage than specified. Risk of fire.

- Clean the light with a dry cloth only; do not use water or cleaning agents.

Requirements for installation

Safe and proper installation can only be guaranteed if all requirements are met.



Read these instructions in full before installation and commissioning, and keep them for future reference.



Installation and the electrical connection must only be carried out by a qualified electrician.



Before starting installation, de-energize all relevant circuits and secure them against being switched back on.



Make sure that no concealed cables or installations are damaged at the mounting location.




The light must be earthed.




The wall must have sufficient load-bearing capacity.

Scope of delivery







Only use the mounting hardware included in the scope of delivery.

Technical data

Dimensions (mm): H = 850 × B = 164 × T = 159

Material: Brass MS 58, finely brushed

Certification:

IP rating: IP20

Protection class: I

Operating voltage: 230 V/50 Hz

Power consumption: max. 6 × 15 W

Socket (lamp base/holder): Ba15d

Dimmable: Yes

Light distribution: 360° beam angle, evenly distributed

Minimum clearance: 0,2m

Weight: ca. 3.793 g

Ambient conditions:

Temperature range: 0 °C-40 °C

Relative humidity: 20 %-80 %

Disposal

At the end of its service life, the light must not be disposed of with household waste. Waste electrical equipment must be handed in at an approved collection or take-back point; retailers of electrical and electronic equipment are also obliged to take it back.

Remove the lamps before disposing of the light.



Titoff Industriedesign GmbH
Königsteinerstraße 5
D-61476 Kronberg i. Taunus

phone +49 212 56052
fax +49 212 56056

email info@titoff-design.com
web www.lff.de